



Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29CFR 1910. Standard must be consulted for specific requirements.

Product: **Threshold 15-0-15**

QUICK IDENTIFIER

Common Name: Threshold 15-0-15

SECTION 1 - COMPANY INFORMATION

Manufactured For:	Agri-Business Technologies, Inc.	Telephone Number:	1-800-535-3820
Address:	1102 Third Avenue	Other Information Call:	1-229-436-4677
City, State, and Zip	Albany, Georgia 31707	Date Prepared:	8/8/07

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	OSHA PEL	ACGIH TLV	EXPOSURE LIMITS	CAS NO.
Triazone Urea	N/A	N/A		7098-14-8
Potassium carbonate	10 mg/M3	10 mg/M3		584-08-7

SECTION 3- PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point: N/A	Specific Gravity: 1.32	Vapor Pressure: N/A
Vapor Pressure: N/A	Reactivity in Water: Soluble	Melting Point: N/A

Appearance and Odor: Clear blueish liquid; slight amine odor

SECTION 4- FIRE & EXPLOSION DATA

Flash Point: N/A °F	Method Used: N/A	
Flammable Limits in Air: N/A	LEL Lower: _____	UEL Upper: _____
Auto-Ignition Temp: N/A	Extinguisher Media: Non flammable if involved in fire, can extinguish with dry chemical; CO ₂ , water spray or foam.	

Special Fire Fighting This product is non-flammable, and does not support combustion.

Procedures: Use of a self contained breathing apparatus is recommended.

Unusual Fire and

Explosion Hazards: If this product is heated it may emit carbon monoxide or other toxic fumes.

Exposure to high heat can emit toxic vapors.

SECTION 5- PHYSICAL HAZARDS (REACTIVITY DATA)

Stability: Stable Unstable **Conditions to Avoid:** Excessive heat

Incompatibility

Materials to Avoid!: Avoid strong acids such as hydrochloric or sulfuric.

May release ammonia and carbon dioxide.

SECTION 5- PHYSICAL HAZARDS (REACTIVITY DATA)..Continued

Hazardous Decomposition Products: May release ammonia gas. Possible release of hydrogen gas when reacting with aluminum, zinc or tin.

Hazardous Polymerization: May Occur: Will Not Occur:

Conditions to Avoid: Extreme Heat.

SECTION 6- HEALTH HAZARDS

ACUTE: Mild skin irritant, conjunctivitis, upset stomach and/or gastrointestinal symptoms are temporary. Symptoms of overexposure are eye, nose and throat irritation.

CHRONIC: Prolonged skin contact may result in burns. Inhalation may cause bronchospasm and chest pains.

CARCINOGEN LISTED IN: _____ **NTP IARC MONOGRAPH** _____ **OSHA NOT LISTED** **X**

ROUTES OF ENTRY AND EMERGENCY FIRST AID PROCEDURES

- 1. Inhalation:** Hazardous due to ammonia smell. If necessary move victim to fresh air. If symptoms persist, call a physician. Administer CPR if necessary.
- 2. Eyes:** Flush eyes with running water for 15 minutes. Seek medical attention if redness persists.
- 3. Skin:** Remove contaminated clothing, wash with clean water and soap. Put on clean clothes.
- 4. Ingestion:** Give large amounts of water. DO NOT INDUCE VOMITING. Call physician immediately.

SECTION 7- SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken

Handling and Storage: Store in cool ventilated place away from fire hazards, excessive heat, flammable or easily oxidizable materials. Do not allow product to dry out. Product may be corrosive to metals or paint. Wash surfaces after contact.

Other Precautions: Do not allow product to go below 35 degrees. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources.

Steps to be taken in case of Release or Spill: Dike area and maximize recovery. Pump into a tank or absorb with diatomaceous earth or sand. Sweep up and place into containers for land application at recommended rates. Prevent entry into sewer or waterways.

Environmental

Precautions: Relatively low toxicity to fish and aquatic organisms. Do not contaminate any waterway, lake, stream or estuary by direct application of cleaning of equipment or disposal. Triple rinse containers and offer for recycling or dispose of in an approved landfill. Consult Federal, state and local regulations for proper disposal.

SECTION 8- CONTROL AND PROTECTIVE MEASURES

Respiratory Protection: Use of NIOSH approved respirator for ammonia is suggested..
 Respiratory protection may be required in the event of a spill in an enclosed area.
 Use SCBA when fighting fires.

Protective Gloves: Impervious gloves from rubber, neoprene or nitrile.

Eye Protection: Side-shielded safety glasses or chemical splash-proof goggles.

Other Protective

Clothing or equipment: Eye wash station with safety shower. Use of a chemically resistant apron may be required for some activities.

Hygienic Work Practice Bathe and change clothes daily. Wash contaminated clothing separate from other laundry.

SECTION 9- TRANSPORT AND REGULATORY INFORMATION

MATERIAL IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name: Corrosive Liquid, n.o.s.

Hazard Class Number: 8

Description: Corrosive liquid, n.o.s. (Alkaline fertilizer mixture)

UN Identification

Number: 1760

Packing Group: PG II

DOT Label(s) Required: Corrosive

NFPA CODE: Health = 2 Flammability = 0 Reactivity = 1

Toxicity: LD50 >273 mg/Kg (KOH) oral

Emergency Phone – CHEMTREC – 1-800-424-9300